

## Pax TR55

Cat. Part	3505-8
Number	
EAN 13	7391477350587
SE EL (SEG)	9411758
SE VVS (RSK)	8754577
NO EL (EFO)	5800566
NO VVS (NRF)	8245458
FI VVS (LVI)	5280930
DK EL (DB)	2240883
DK VVS (VVS)	331157317
FI EL (SNRO)	8133362

- Four sizes
- Reversible
- Low energy consumption




**TR55, stainless steel, 40 W, width 454mm, height 645mm**

### Technical data

Installation type, wall, ceiling et.c	Wall
Max watt(W)	40
Supply Voltage (12V-400V)	230V AC
Electrical Supply Phase	1-Phase
Insulation Class	II
Protection ( IP )	IP 44
Unpackaged Product Width (mm)	454
Unpackaged Product Height (mm)	644
Unpackaged Product Depth (mm)	109
Material	Stainless Steel, Plastic
Plastic Material detail	ABS
Etim Code	EC003624

### Measure sketch/CAD



Mått i mm.  
MS00016-A

## Description

With its classic design and curved tubes, the Pax TR is easy to use.

It is available with chrome or glossy white tubes.

The rotatable and movable wall mounts lock the towel warmer onto the surface below in a unique way when you tighten the screws. The rotatable mounts also allow you to position the coupling housing on any corner.

With its low power rating (30–60 W), the Pax TR series uses up to 33% less electricity than comparable competitors, without compromising on drying efficiency or heat comfort.

The TR series is the professional's choice. Supplied without cable/plug for concealed connection.

## Accessories



**Speed and  
power  
regulator**

Cat 8134