

## Pax TR45

Cat. Part	3506-8
Number	
EAN 13	7391477350686
SE EL (SEG)	9411755
SE VVS (RSK)	8754574
NO EL (EFO)	5800563
NO VVS (NRF)	8245455
FI VVS (LVI)	5280927
DK EL (DB)	2239834
DK VVS (VVS)	331157127
FI EL (SNRO)	8133359

- Four sizes
- Reversible
- Low energy consumption


**TR45, stainless steel, 30 W, width 490mm, height 445mm.**

### Technical data

Installation type, wall, ceiling et.c	Wall
Max watt(W)	30
Supply Voltage (12V-400V)	230V AC
Electrical Supply Phase	1-Phase
Insulation Class	II
Protection ( IP )	IP 44
Unpackaged Product Width (mm)	488
Unpackaged Product Height (mm)	444
Unpackaged Product Depth (mm)	109
Material	Stainless Steel, Plastic
Plastic Material detail	ABS
Etim Code	EC003624



### Measure sketch/CAD



Mått i mm.  
MS00015-A

## Description

With its classic design and curved tubes, the Pax TR is easy to use.

It is available with chrome or glossy white tubes.

The rotatable and movable wall mounts lock the towel warmer onto the surface below in a unique way when you tighten the screws. The rotatable mounts also allow you to position the coupling housing on any corner.

With its low power rating (30–60 W), the Pax TR series uses up to 33% less electricity than comparable competitors, without compromising on drying efficiency or heat comfort.

The TR series is the professional's choice. Supplied without cable/plug for concealed connection.

## Accessories



**Speed and  
power  
regulator**

Cat 8134