

Pax Flex U 4/650, pivoting, Momento II™

Cat. Part	26-1022
Number	
EAN 13	7391477610223
SE EL (SEG)	9411716
SE VVS (RSK)	8754535
NO EL (EFO)	5800524
NO VVS (NRF)	8245412
FI VVS (LVI)	5280944
DK EL (DB)	2254723
DK VVS (VVS)	331164827
FI EL (SNRO)	8133376

- Easy to reconfigure
- Momento II™ timer with the possibility of app control



**Flex U, 4 arms 650 mm individually pivotable.
Momento II™ timer with the possibility of app control. 85W. Stainless steel.**


Functions

Run on Timer, Repetitivetimer, Power control

Technical data

Installation type, wall, ceiling et.c	Wall
Max watt(W)	85
Supply Voltage (12V-400V)	230V AC
Electrical Supply Phase	1-Phase
Insulation Class	II
Wireless Control Option	Bluetooth LE
Protection (IP)	IP 44
Unpackaged Product Width (mm)	654
Unpackaged Product Height (mm)	952
Unpackaged Product Depth (mm)	112
Material	Stainless Steel, Plastic
Plastic Material detail	ABS
Etim Code	EC003624

Measure sketch/CAD



Description

Flex U has 4 arms that are 650 mm long. The towel warmer has excellent drying capabilities. The individually pivoting U-shaped arms allow towels to hang freely in the air when needed.

Flex U is made of stainless steel and the effect is 85W. The towel warmer can be mounted right or left-hand. The towel warmer comes complete with Momento II™ bracket for concealed electrical installation placed at the bottom.

The built-in Momento II™ timer can be controlled via the app or manually. Via the app it is also possible to set different power levels, set schedules when the towel dryer will heat and pair with Pax Norte bathroom fan. Then the towel warmer switches on automatically when the fan's humidity sensor detects an increased humidity level, for example when you start showering.

Accessories



Unearthed cable rack

Cat 8340-5