

Pax EXPIRED - Replaced by 26-2019 - Flex I 6/550, pivoting

Cat. Part	25-2019
Number	
EAN 13	7391477520195
SE EL (SEG)	9411193
SE VVS (RSK)	8754378
NO EL (EFO)	5800657
NO VVS (NRF)	8245353
FI VVS (LVI)	5280887
DK EL (DB)	2006744
DK VVS (VVS)	331165414
FI EL (SNRO)	8133294

Flex I, pivoting arms on small space


- Pivoting arms in a small area

**Flex I, 6 arms 560 mm individually pivotable.
On/Off function. 60W. Chrome-plated steel.**

Technical data

Installation type, wall, ceiling et.c	Wall
Max watt(W)	60
Supply Voltage (12V-400V)	230V AC
Electrical Supply Phase	1-Phase
Insulation Class	II
Protection (IP)	IP 44
Heat Output, electrical products (W)	60
Unpackaged Product Width (mm)	560
Unpackaged Product Height (mm)	685
Unpackaged Product Depth (mm)	112
Material	Steel
Etim Code	EC003624

Måttskiss



Flex I has individually pivoting arms that you can move as you wish, either to maximise your drying capability or to make Flex I as compact as possible. The tubes are straight, which makes it easy to hang up and take down your towels. You can order your Flex I in several configurations. Choose anything from two to six individually pivoting arms to 180°, meaning you can have it set both on the right and left.

The chrome-plated steel construction is very stable with metal brackets and the effect is 60W. The towel warmer can be mounted right or left-hand.

Flex I 6/550 is also available with Momento II™ timer function.



Cat 8340-5