

Pax Flex U 4/650, pivoting, Momento II™

Cat. Part	25-1022
Number	
EAN 13	7391477510226
SE EL (SEG)	9411147
SE VVS (RSK)	8754361
NO EL (EFO)	5800642
NO VVS (NRF)	8245336
FI VVS (LVI)	5280872
DK EL (DB)	2006706
DK VVS (VVS)	331164824
FI EL (SNRO)	8133279

Flex U, easy to vary

- Easy to reconfigure
- Momento II™ timer with the possibility of app control

**Flex U, 4 arms 650 mm individually pivotable.
Momento II™ timer with the possibility of app
control. 85W. Chrome-plated steel.**


Functions

Run on Timer

Technical data

Installation type, wall, ceiling et.c	Wall
Max watt(W)	85
Supply Voltage (12V-400V)	230V AC
Electrical Supply Phase	1-Phase
Insulation Class	II
Wireless Control Option	Bluetooth LE
Protection (IP)	IP 44
Heat Output, electrical products (W)	85
Unpackaged Product Width (mm)	655
Unpackaged Product Height (mm)	960
Unpackaged Product Depth (mm)	112
Material	Steel
Etim Code	EC003624

Måttskiss



Flex U has 4 arms that are 650 mm long. The towel warmer has excellent drying capabilities. The individually pivoting U-shaped arms allow towels to hang freely in the air when needed. Construction is very sturdy, with metal consoles.

Flex U is made of chromed steel and the effect is 85W. The towel warmer can be mounted right or left-hand. The towel warmer comes complete with Momento II™ bracket for concealed electrical installation placed at the bottom.

The built-in Momento II™ timer can be controlled via the app or manually. Via the app it is also possible to set different power levels, set schedules when the towel dryer will heat and pair with Pax Norte bathroom fan. Then the towel warmer switches on automatically when the fan's humidity sensor detects an increased humidity level, for example when you start showering.



Cat 8340-5